





GUIDA ALLE TAGLIE ANELLI

Stampa questa pagina assicurandoti di mantenere le sue misure originali: nelle impostazioni di stampa il ridimensionamento dovrà essere al 100% (elimina, se presente, la spunta da adatta e centra). Posiziona un tuo anello sui cerchi della pagina: trova il cerchio che è visibile all'interno dell'anello. Usa preferibilmente una fedina semplice. Per una misurazione precisa non dovrà esserci margine tra l'anello ed il cerchio.





**Non posizionare l'anello direttamente sul monitor:
la corrispondenza non sarebbe corretta.**



RING SIZE CHART

Print this page in its original size. Make sure that the print size is set to 100% under Settings in the Print Menu. To determine your ring size, take a ring that fits you and place it over the circles on the printed page. Find the circle that is completely visible from the inside of your ring. For a precise fit, there should not be space between the circle and the ring. It is best to use a simple ring (a wedding ring is perfect).

**Do not place the ring directly on the computer screen;
it will not give you an accurate ring size.**



COMPARAZIONE MISURE/SIZE COMPARISON CHART

IT	FR	USA	EN	JP	∅ Cm	○ Cm
8	48	4,5	I-1/2	8	1,53	4,78
9	49		J	9	1,56	4,81
9,5	49,50	5	J-1/2		1,58	4,90
10	50		K	10	1,60	4,93
10,5	50,50	5,5	L		1,61	5,03
11	51		L-1/2		1,62	5,13
11,5	51,50	6	M	11	1,63	5,15
12	52				1,65	5,18
12,5	52,5			12	1,66	5,21
13	53	6,5	N		1,68	5,28
13,5	53,50			13	1,70	5,34
14	54				1,72	5,40
14,5	54,50	7	O	14	1,73	5,40
15	55				1,74	5,46
15,5	55,50			15	1,76	5,53
16	56	7,5	P		1,78	5,59
16,5	56,50			16	1,80	5,65
17	57	8	Q		1,81	5,68
17,5	57,50			17	1,83	5,75
18	58				1,85	5,81
18,5	58,50	8,5		18	1,86	5,84
19	59		R		1,88	5,90
19,5	59,75	9		19	1,90	5,97
20	60		S		1,92	6,03
20,5	60,50			20	1,93	6,02
21	61	9,5			1,95	6,06
21,5	61,50		T	21	1,96	6,15
22	62	10	T-1/2		1,98	6,16
22,5	62,50		U		1,99	6,22
23	63			22	2,00	6,28
23,5	63,50	10,5	U-1/2		2,02	6,28
24	64		V	23	2,04	6,31
24,5	64,50				2,05	6,41
25	65	11	W	24	2,06	6,43
25,5	65,50				2,08	6,53
26	66		X	25	2,10	6,57
26,5	66,25	11,5			2,11	6,63
27	67				2,12	6,66
27,5	67,50	12	Y	26	2,13	6,69
28	68				2,15	6,75
28,5	68,75	12,5	Z	27	2,17	6,81
29	69				2,19	6,88
29,5	69,50			28	2,20	6,91
30	70	13	1	29	2,22	6,97
31	71		2	30	2,25	7,07
32	72			31	2,29	7,19
33	73		3		2,33	7,32